


IN THE CLAIMS

Please amend Claims 1 and 58 as follows:

1. (amended) A compound of the formula



I

wherein Q is C=NH, C=CH<sub>2</sub>, C=S, C=O, SO or SO<sub>2</sub>;

A is CH, CH<sub>2</sub>, C(C<sub>1</sub>-C<sub>6</sub>)alkyl, CH(C<sub>1</sub>-C<sub>6</sub>)alkyl, C(CF<sub>3</sub>) or CH(CF<sub>3</sub>), with the proviso that when B is present, A must be either CH, C(C<sub>1</sub>-C<sub>6</sub>)alkyl or C(CF<sub>3</sub>);

B is absent or is methylene or ethylene;

each of Y and Z is N or CH, with the proviso that Y and Z can not both be N;

G is NH(CH<sub>2</sub>)<sub>q</sub>, S(CH<sub>2</sub>)<sub>q</sub> or O(CH<sub>2</sub>)<sub>q</sub>, wherein q is zero or one;

with the proviso that when q is zero, G is NH<sub>2</sub>, SH or OH;

W is a one carbon linking group or a saturated or unsaturated two or three carbon linking group, wherein each of the foregoing W groups can optionally be substituted with one substituent R<sup>7</sup> or two substituents R<sup>7</sup> and R<sup>6</sup>, or W is a one carbon linking group that forms, together with a 2, 3, 4 or 5 carbon chain, a 3, 4, 5 or 6 membered spiro ring, respectively;

or W is a saturated two carbon chain linking group that forms, together with a separate 1, 2 or 3 carbon chain, a fused 3, 4 or 5 membered ring, respectively;

or W is a saturated two carbon chain linking group, wherein one of the two carbons in the chain forms, together with a separate 2, 3, 4 or 5 carbon chain, a 3, 4, 5 or 6 membered spiro ring, respectively;

p is zero, one or two;

C'  $R^3$  is selected from hydrogen,  $COR^9$ , optionally substituted phenyl, optionally substituted heterocyclic rings, and optionally substituted  $(C_1-C_8)$ alkyl wherein one of the  $CH_2$  groups of said  $(C_1-C_8)$  alkyl may optionally be replaced with a sulfur, oxygen or carbonyl group and wherein said  $(C_1-C_8)$ alkyl can optionally be substituted with from one to three substituents, preferably with zero substituents or one substituent, independently selected from hydroxy, oxo, phenyl- $(C_1-C_3)$ alkoxy, phenyl, cyano, halo, optionally substituted heterocyclic rings,  $NR^9COR^{10}$ ,  $NR^9CO_2R^{10}$ ,  $CONR^9R^{10}$ ,  $COR^9$ ,  $CO_2R^9$ ,  $NR^9R^{10}$ , and  $(C_1-C_6)$ alkoxy optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms;

and wherein the heterocyclic rings of  $R^3$  and the heterocyclic ring substituents on the alkyl groups of  $R^3$  are selected, independently, from 3 to 7 membered saturated or unsaturated monocyclic rings containing from 1 to 4 ring heteroatoms, and 8 to 12 membered saturated or unsaturated bicyclic rings containing from 1 to 4 ring heteroatoms, wherein said heteroatoms are selected, independently, from oxygen, nitrogen and sulfur, with the proviso that there can not be two adjacent ring oxygen atoms or two adjacent ring sulfur atoms in either the monocyclic or bicyclic heterocyclic rings, and with the proviso that heterocyclic rings formed from  $NR^9R^{10}$  or  $CONR^9R^{10}$  must contain at least one nitrogen atom;

and wherein the heterocyclic rings of  $R^3$  and the heterocyclic ring substituents on the alkyl groups of  $R^3$  can optionally be substituted with one or more substituents, preferably with zero, one or two substituents, independently selected from oxo, hydroxy, thioxo, halo, cyano, phenyl,  $(CH_2)_mNR^9R^{10}$ ,  $NR^9COR^{10}$ ,  $(CH_2)_mOR^9$ , wherein m is zero, one or two, and  $(C_1-C_6)$ alkyl optionally substituted with one or more substituents, preferably with from zero to two substituents, independently selected from halo,  $CF_3$ , methoxy and phenyl;

and wherein the phenyl groups of  $R^3$  and the phenyl substituents in the alkyl groups of  $R^3$  can optionally be substituted with one or more substituents, preferably with from zero to two substituents, independently selected from the group consisting

of halo, cyano, nitro,  $\text{CF}_3$ ,  $(\text{CH}_2)_m\text{NR}^9\text{R}^{10}$ , wherein  $m$  is zero, one or two,  $\text{NR}^9\text{COR}^{10}$ ,  $\text{NR}^9\text{CO}_2\text{R}^{10}$ ,  $\text{CONR}^9\text{R}^{10}$ ,  $\text{CO}_2\text{NR}^9\text{R}^{10}$ ,  $\text{COR}^9$ ,  $\text{CO}_2\text{R}^9$ ,  $(\text{C}_1\text{-C}_6)\text{alkyl}$  optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms,  $(\text{C}_1\text{-C}_6)\text{alkoxy}$  optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms, and  $(\text{C}_2\text{-C}_6)\text{alkenyl}$  optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms;

each of  $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^{11}$ ,  $\text{R}^{12}$  and  $\text{R}^{13}$  are selected, independently, from hydrogen and  $(\text{C}_1\text{-C}_6)\text{alkyl}$  optionally substituted with one or more substituents, preferably with zero, one or two substituents, that are selected, independently, from hydroxy, oxo,  $(\text{C}_1\text{-C}_6)\text{alkoxy}$  and cyano;

or  $\text{R}^1$  and  $\text{R}^2$ , together with the carbon atoms to which they are attached, or  $\text{R}^2$  and  $\text{R}^3$ , together with the carbon and nitrogen to which they are attached, respectively, form a 5 or 6 membered saturated heterocyclic ring containing one or two heteroatoms that are selected, independently, from nitrogen, oxygen and sulfur, with the proviso that said ring can not contain two adjacent oxygen atoms or two adjacent sulfur atoms; or  $\text{R}^1$  and  $\text{R}^2$ , together with the carbons to which they are attached, form a 5 or 6 membered, saturated or unsaturated carbocyclic ring, and wherein said heterocyclic and carbocyclic rings formed by  $\text{R}^1$  and  $\text{R}^2$  or by  $\text{R}^2$  and  $\text{R}^3$  can be substituted with one or more substituents, preferably with zero substituents or one substituent, independently selected from halo, oxo,  $\text{NR}^9\text{R}^{10}$ ,  $(\text{C}_1\text{-C}_6)\text{alkyl}$  optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms, and  $(\text{C}_1\text{-C}_6)\text{alkoxy}$  optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms;

or  $\text{R}^{12}$  and  $\text{R}^{13}$ , together with the carbon atoms to which they are attached, form a 5 or 6 membered saturated heterocyclic ring containing one or two heteroatoms that are selected, independently, from nitrogen, oxygen and sulfur, with the proviso that said ring can not contain two adjacent oxygen atoms or two adjacent sulfur atoms, or  $\text{R}^{12}$  and  $\text{R}^{13}$ , together with the carbons to which they are attached, form a 5 or 6 membered, saturated or unsaturated carbocyclic ring, and wherein said heterocyclic and carbocyclic rings formed

by  $R^{12}$  and  $R^{13}$  can be substituted with one or more substituents, preferably with zero substituents or one substituent, independently selected from  $NR^9R^{10}$ , halo, phenyl-S-, phenyl-SO-, phenyl-SO<sub>2</sub>-, oxo, (C<sub>1</sub>-C<sub>6</sub>)alkoxy optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms, and (C<sub>1</sub>-C<sub>6</sub>)alkyl optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms:

with the proviso that no more than one of  $R^1$  and  $R^2$ ,  $R^2$  and  $R^3$ , and  $R^{12}$  and  $R^{13}$  can form a ring;

$R^4$  is selected from phenyl, 2-, 3- or 4-pyridyl, 2- or 3-thienyl, and pyrimidyl, wherein  $R^4$  can be optionally substituted with one or more substituents, preferably with zero or one substituent, selected, independently, from halo, (C<sub>1</sub>-C<sub>6</sub>)alkyl optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms, (C<sub>1</sub>-C<sub>6</sub>)alkoxy optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms, and (C<sub>2</sub>-C<sub>6</sub>) alkenyl optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms;

$R^5$  and  $R^8$  are selected, independently, from hydrogen, -SO(C<sub>1</sub>-C<sub>6</sub>)alkyl, -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub>)alkyl, -SO-aryl, -SO<sub>2</sub>-aryl, CF<sub>3</sub>, halo, phenyl, phenyl-(C<sub>1</sub>-C<sub>2</sub>)alkyl, hydroxy, aryloxy, heteroaryloxy, pyridyl, tetrazolyl, oxazolyl, thiazolyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms, and (C<sub>1</sub>-C<sub>6</sub>)alkyl substituted with one or more substituents, preferably with from zero to two substituents selected, independently, from hydroxy, oxo, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, phenyl-(C<sub>1</sub>-C<sub>3</sub>)alkoxy, phenyl, cyano, chloro, bromo, iodo,  $NR^9R^{10}$ ,  $NR^9COR^{10}$ ,  $NR^9CO_2R^{10}$ ,  $CONR^9R^{10}$ ,  $COR^9$  and  $CO_2R^9$ ;

$R^6$  and  $R^7$  are selected, independently, from -SO(C<sub>1</sub>-C<sub>6</sub>)alkyl, -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub>)alkyl, -SO-aryl, -SO<sub>2</sub>-aryl, CF<sub>3</sub>, halo, phenyl, phenyl-(C<sub>1</sub>-C<sub>2</sub>)alkyl, hydroxy, aryloxy, heteroaryloxy, pyridyl, tetrazolyl, oxazolyl, thiazolyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl optionally substituted with from one to seven fluorine atoms, preferably with from zero to

three fluorine atoms, and (C<sub>1</sub>-C<sub>6</sub>)alkyl substituted with one or more substituents, preferably with from zero to two substituents selected, independently, from hydroxy, oxo, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, phenyl-(C<sub>1</sub>-C<sub>3</sub>)alkoxy, phenyl, cyano, chloro, bromo, iodo, NR<sup>9</sup>R<sup>10</sup>, NR<sup>9</sup>COR<sup>10</sup>, NR<sup>9</sup>CO<sub>2</sub>R<sup>10</sup>, CONR<sup>9</sup>R<sup>10</sup>, COR<sup>9</sup> and CO<sub>2</sub>R<sup>9</sup>;

each R<sup>9</sup> and each R<sup>10</sup> is selected, independently, from hydrogen, (C<sub>1</sub>-C<sub>6</sub>)alkyl, hydroxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, phenyl and CF<sub>3</sub>;

or R<sup>9</sup> and R<sup>10</sup>, when R<sup>3</sup> is NR<sup>9</sup>R<sup>10</sup> or CONR<sup>9</sup>R<sup>10</sup>, can form, together with the nitrogen to which they are attached, an optionally substituted heterocyclic ring that contains at least one nitrogen atom;

and wherein the phenyl groups in the definition of R<sup>5</sup>, R<sup>6</sup>, R<sup>7</sup> and R<sup>8</sup> and the phenyl moiety of phenyl (C<sub>1</sub>-C<sub>2</sub>)alkyl in the definition of R<sup>5</sup>, R<sup>6</sup>, R<sup>7</sup> and R<sup>8</sup> can optionally be substituted with one or more substituents, preferably with from zero to two substituents, that are selected, independently, from halo, hydroxy, (C<sub>1</sub>-C<sub>6</sub>)alkoxy optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms, and (C<sub>1</sub>-C<sub>6</sub>)alkyl optionally substituted with from one to seven fluorine atoms, preferably with from zero to three fluorine atoms;

with the proviso that: (a) R<sup>8</sup> can not be halo, hydroxy, cyano, aryloxy, heteroaryloxy, substituted or unsubstituted (C<sub>1</sub>-C<sub>6</sub>)alkoxy or methyl substituted with from 1-3 fluorine atoms; and (b) when Q is C=O or C=S, and Y and Z are both carbon, and W is a methylene, ethylene or propylene group that is optionally substituted with (C<sub>1</sub>-C<sub>6</sub>)alkyl or fluoro substituted (C<sub>1</sub>-C<sub>6</sub>)alkyl, and all of R<sup>1</sup>, R<sup>2</sup>, R<sup>11</sup>, R<sup>12</sup> and R<sup>13</sup> are hydrogen, and R<sup>5</sup>, R<sup>6</sup>, R<sup>7</sup>, and R<sup>8</sup> are selected from hydrogen, halo, (C<sub>1</sub>-C<sub>6</sub>) alkyl optionally substituted with from 1 to 7 fluorine atoms, (C<sub>1</sub>-C<sub>6</sub>) alkoxy optionally substituted with from 1 to 7 fluorine atoms, then R<sup>3</sup> can not be hydrogen;

or a pharmaceutically acceptable salt thereof.

58. (amended) A compound that is selected from isomers and mixtures of isomers of the following compounds, wherein said isomers or mixtures of isomers have the stereochemistry of claim 1 formula I:

C<sup>2</sup>

7-[(1-Dimethylaminoacetyl-2-phenyl-piperidin-3-ylamino)-methyl]-6-methoxy-1-methyl-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-1-methyl-7-[[2-phenyl-1-(pyridin-2-yl-acetyl)-piperidin-3-ylamino]-methyl]-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-1-methyl-7-[[2-phenyl-1-(pyridin-3-yl-acetyl)-piperidin-3-ylamino]-methyl]-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-1-methyl-7-[[2-phenyl-1-(pyridin-4-yl-acetyl)-piperidin-3-ylamino]-methyl]-3,4-dihydro-1H-quinolin-2-one;

6-Cyclopropoxy-1-methyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;

(5-Chloro-2-methoxy-benzyl)-(2-phenyl-octahydro-cyclopenta[b]pyrrol-3-yl)-amine;

6-Methoxy-1-methyl-7-[(1-[1,2,4]oxadiazol-3-ylmethyl-2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;

7-[[1-(Imidazol-1-yl-acetyl)-2-phenyl-piperidin-3-ylamino]-methyl]-6-methoxy-1-methyl-3,4-dihydro-1H-quinolin-2-one;

1-[3-(2-Methoxy-5-trifluoromethoxy-benzylamino)-2-phenyl-piperidin-1-yl]-2-pyridin-2-yl-ethanone;

1-[3-(2-Methoxy-5-trifluoromethoxy-benzylamino)-2-phenyl-piperidin-1-yl]-2-pyridin-3-yl-ethanone;

1-[3-(2-Methoxy-5-trifluoromethoxy-benzylamino)-2-phenyl-piperidin-1-yl]-2-pyridin-4-yl-ethanone;

2-Imidazol-1-yl-1-[3-(2-methoxy-5-trifluoromethoxy-benzylamino)-2-phenyl-piperidin-1-yl]-ethanone;

2-Dimethylamino-1-[3-(2-methoxy-5-trifluoromethoxy-benzylamino)-2-phenyl-piperidin-1-yl]-ethanone

3-(2-Benzoyloxy-5-trifluoromethoxy-phenyl)-6-phenyl-1-oxa-7-aza-spiro[4.5]decane;

1-[3-(2-Methoxy-5-trifluoromethoxy-benzylamino)-2-phenyl-piperidin-1-yl]-2-pyrrolidin-1-yl-ethanone;

C<sup>2</sup>

(2-Methoxy-5-trifluoromethoxy-benzyl)-(1-[1,2,4]oxadiazol-3-ylmethyl-2-phenyl-piperidin-3-yl)-amine;  
 7-{{2-(4-Fluoro-phenyl)-piperidin-3-ylamino}-methyl}-6-methoxy-1-methyl-3,4-dihydro-1H-quinolin-2-one;  
 [1-(2-Imidazol-1-yl-ethyl)-2-phenyl-piperidin-3-yl]-(2-methoxy-5-trifluoromethoxy-benzyl)-amine;  
 7-{{1-(2-Dimethylamino-ethyl)-2-phenyl-piperidin-3-ylamino}-methyl}-6-methoxy-1-methyl-3,4-dihydro-1H-quinolin-2-one;  
 (5-Chloro-2-ethoxy-pyridin-3-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 (5-Chloro-2-methoxy-pyridin-3-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 Dibenzofuran-2-ylmethyl-(2-phenyl-piperidin-3-yl)-amine;  
 [3-(Indan-2-yloxy)-4-methoxy-benzyl]-(2-phenyl-piperidin-3-yl)-amine;  
 6-[(2-Phenyl-piperidin-3-ylamino)-methyl]-chroman-4-one;  
 (5-Methyl-benzo[b]thiophen-3-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 (2,2-Dimethyl-chroman-6-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 (1H-Benzoimidazol-5-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 1-{2-[(2-Phenyl-piperidin-3-ylamino)-methyl]-phenyl}-pyrrolidin-2-one;  
 (2-Phenyl-piperidin-3-yl)-[3-(pyridin-2-yloxy)-benzyl]-amine  
 [3-(4-Methoxy-phenoxy)-benzyl]-(2-phenyl-piperidin-3-yl)-amine;  
 (4-Phenoxy-benzyl)-(2-phenyl-piperidin-3-yl)-amine;  
 (2-Phenyl-piperidin-3-yl)-thiophen-2-ylmethyl-amine;  
 Furan-2-ylmethyl-(2-phenyl-piperidin-3-yl)-amine;  
 (5-Methyl-furan-2-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 (3-Methyl-thiophen-2-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 (2-Phenyl-piperidin-3-yl)-thiophen-3-ylmethyl-amine;  
 (3-Methyl-benzo[b]thiophen-2-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 Benzofuran-2-ylmethyl-(2-phenyl-piperidin-3-yl)-amine;  
 (5-Ethyl-furan-2-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 (5-Chloro-3-methyl-1-phenyl-1H-pyrazol-4-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;

6-Methoxy-7-[[1-(2-methoxy-ethyl)-2-phenyl-piperidin-3-ylamino]-methyl]-1-methyl-3,4-dihydro-1H-quinolin-2-one;  
 (5-Methyl-3-phenyl-isoxazol-4-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 (3-Phenoxy-benzyl)-(2-phenyl-piperidin-3-yl)-amine;  
 Furan-3-ylmethyl-(2-phenyl-piperidin-3-yl)-amine;  
 (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 (5,7-Dimethoxy-1H-indol-4-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 (5-Methoxy-1H-indol-3-ylmethyl)-(2-phenyl-piperidin-3-yl)-amine;  
 7-[[1-(2,3-Dihydroxy-propyl)-2-phenyl-piperidin-3-ylamino]-methyl]-6-methoxy-1-methyl-3,4-dihydro-1H-quinolin-2-one;  
 (2-Methoxy-5-trifluoromethoxy-benzyl)-[2-phenyl-1-(2-pyrrolidin-1-yl-ethyl)-piperidin-3-yl]-amine;  
 6-Ethoxy-1-methyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;  
 [1-(2-Dimethylamino-ethyl)-2-phenyl-piperidin-3-yl]-(2-methoxy-5-trifluoromethoxy-benzyl)-amine;  
 3-(2-Cyclopropoxy-5-trifluoromethoxy-phenyl)-6-phenyl-1-oxa-7-aza-spiro[4.5]decane;  
 [1-(2-Methoxy-ethyl)-2-phenyl-piperidin-3-yl]-(2-methoxy-5-trifluoromethoxy-benzyl)-amine;  
 6-Hydroxy-1-methyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;  
 6-Methoxy-1-methyl-7-[(2-phenyl-octahydro-cyclopenta[b]pyrrol-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;  
 7-[[2-(4-Fluoro-phenyl)-piperidin-3-ylamino]-methyl]-6-methoxy-3,4-dihydro-1H-quinolin-2-one;  
 6-Methoxy-1-methyl-7-(6-phenyl-1-oxa-7-aza-spiro[4.5]dec-3-yl)-3,4-dihydro-1H-quinolin-2-one;  
 6-Methoxy-1,3,3-trimethyl-5-[(2-phenyl-octahydro-cyclopenta[b]pyrrol-3-ylamino)-methyl]-1,3-dihydro-indol-2-one;



[3-Chloro-2-(4-fluoro-phenoxy)-pyridin-4-ylmethyl]-(2-phenyl-piperidin-3-yl)-amine;  
 6-Ethoxy-1,3,3-trimethyl-5-[(2-phenyl-piperidin-3-ylamino)-methyl]-1,3-dihydro-indol-2-one;  
 6-Ethoxy-1,3,3-trimethyl-5-[(2-phenyl-octahydro-cyclopenta[b]pyrrol-3-ylamino)-methyl]-1,3-dihydro-indol-2-one;  
 6-Isopropoxy-1,3,3-trimethyl-5-[(2-phenyl-piperidin-3-ylamino)-methyl]-1,3-dihydro-indol-2-one;  
 6-Isopropoxy-1,3,3-trimethyl-5-[(2-phenyl-octahydro-cyclopenta[b]pyrrol-3-ylamino)-methyl]-1,3-dihydro-indol-2-one;  
 6-Ethoxy-1,3,3-trimethyl-5-[(2-phenyl-octahydro-cyclopenta[b]pyrrol-3-ylamino)-methyl]-1,3-dihydro-indol-2-one;  
 6-Isopropoxy-1,3,3-trimethyl-5-[(2-phenyl-octahydro-cyclopenta[b]pyrrol-3-ylamino)-methyl]-1,3-dihydro-indol-2-one;  
 7-Isopropoxy-1-methyl-6-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;  
 6-Methoxy-1-methyl-7-[(6-methyl-2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;  
 6-Methoxy-1,3,3-trimethyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;  
 6-Methoxy-1,3-dimethyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;  
 6-Methoxy-1,3-dimethyl-5-[(2-phenyl-piperidin-3-ylamino)-methyl]-1,3-dihydro-indol-2-one;  
 6-Methoxy-1-methyl-5-[(2-phenyl-piperidin-3-ylamino)-methyl]-1,3-dihydro-indol-2-one;  
 5-[(1-Isopropyl-2-phenyl-piperidin-3-ylamino)-methyl]-6-methoxy-1,3,3-trimethyl-1,3-dihydro-indol-2-one;  
 6-Methoxy-1-methyl-7-[(2-phenyl-1-propyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-1-methyl-7-{{1-(5-methyl-3H-imidazol-4-ylmethyl)-2-phenyl-piperidin-3-ylamino}-methyl}-3,4-dihydro-1H-quinolin-2-one;

C2

7-{{1-(1H-Imidazol-4-ylmethyl)-2-phenyl-piperidin-3-ylamino}-methyl}-6-methoxy-1-methyl-3,4-dihydro-1H-quinolin-2-one;

7-[(1-Isopropyl-2-phenyl-piperidin-3-ylamino)-methyl]-6-methoxy-1-methyl-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-1,3-dimethyl-7-[(1-methyl-2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;

5-[(1-Isopropyl-2-phenyl-piperidin-3-ylamino)-methyl]-6-methoxy-1,3,3-trimethyl-1,3-dihydro-indol-2-one;

6-Methoxy-1-methyl-7-{{1-(5-oxo-2,5-dihydro-1H-[1,2,4]triazol-3-ylmethyl)-2-phenyl-piperidin-3-ylamino}-methyl}-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;

1-Ethyl-6-methoxy-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;

1-Methanesulfonyl-6-methoxy-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-1,4,4-trimethyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;

8-Fluoro-6-methoxy-1,4,4-trimethyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-1-methyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-1,4-dimethyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-2-methyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-2H-isoquinolin-1-one;

6-Methoxy-3-methyl-5-[(2-phenyl-piperidin-3-ylamino)-methyl]-1,1a,3,7b-tetrahydro-3-aza-cyclopropa[a]naphthalen-2-one;

6-Methoxy-1-methyl-,3,3-cyclopropyl-5-[(2-phenyl-piperidin-3-ylamino)-methyl]-1,3-dihydro-indol-2-one;

5-Methoxy-1-methyl-,3,3-cyclopropyl-6-[(2-phenyl-piperidin-3-ylamino)-methyl]-1,3-dihydro-indol-2-one;

6-Methoxy-1-methyl-(6-phenyl-1,7-diaza-spiro[4.5]dec-3-yl)-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-1-methyl-7-phenyl-1,7-diaza-spiro[4.5]dec-3-yl)-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-3-methyl-5-[(1-phenyl-8-aza-bicyclo[3.2.1]oct-2-ylamino)-methyl] 1,1a,3,7b-tetrahydro-3-aza-cyclopropa[a]naphthalen-2-one;

(6-Methoxy-1-methyl-2,2-dioxo-1,2,3,4-tetrahydro-2-thiobenzo[c [1,2]thiazin-7-yl-methyl)- (2-phenyl-piperidin-3-yl)-amine;

6-Methoxy-3-methyl-5-[(6-methyl-2-phenyl-piperidin-3-ylamino)-methyl]-1,1a,3,7b-tetrahydro-3-aza-cyclopropa[a]naphthalen-2-one;

6-Methoxy-1-methyl-7-(6-phenyl-1,7-diaza-spiro[4.5]dec-3-yl)-3,4-dihydro-1H-quinolin-2-one;

6-Methoxy-1,3,3-trimethyl-5-[(2-phenyl-piperidin-3-ylamino)-methyl]-1,3-dihydro-pyrrolo[2,3-b]pyridin-2-one;

5-Methoxy-1,3,3-trimethyl-6-[(2-phenyl-piperidin-3-ylamino)-methyl]-1,3-dihydro-pyrrolo[3,2-b]pyridin-2-one;

6-Methoxy-1-methyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-[1,5]naphthyridin-2-one;

7-[(6-Ethyl-2-phenyl-piperidin-3-ylamino)-methyl]-6-methoxy-1-methyl-3,4-dihydro-1H-quinolin-2-one;

5-[(6-Ethyl-2-phenyl-piperidin-3-ylamino)-methyl]-6-methoxy-1,3,3-trimethyl-1,3-dihydro-indol-2-one;

6-Methoxy-1,3,3-trimethyl-5-[(2-phenyl-piperidin-3-ylamino)-methyl]-1,3-dihydro-pyrrolo[2,3-b]pyridin-2-one;

5-Methoxy-1,3,3-trimethyl-6-[(2-phenyl-piperidin-3-ylamino)-methyl]-1,3-dihydro-pyrrolo[3,2-b]pyridin-2-one;

6-Methoxy-1-methyl-7-[(2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-[1,5]naphthyridin-2-one;

6-Methoxy-1-methyl-7-[(6-methyl-2-phenyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-[1,5]naphthyridin-2-one;

7-[(6-Ethyl-2-phenyl-piperidin-3-ylamino)-methyl]-6-methoxy-1-methyl-3,4-dihydro-1H-[1,5]naphthyridin-2-one;

6-Methoxy-1-methyl-7-[(2-phenyl-6-propyl-piperidin-3-ylamino)-methyl]-3,4-dihydro-1H-[1,5]naphthyridin-2-one;

6-Methoxy-3-methyl-5-[(6-methyl-2-phenyl-piperidin-3-ylamino)-methyl]-1,1a,3,7b-tetrahydro-3-aza-cyclopropa[a]naphthalen-2-one;

6-Methoxy-1-methyl-7-(6-phenyl-1,7-diaza-spiro[4.5]dec-3-yl)-3,4-dihydro-1H-quinolin-2-one;

and pharmaceutically acceptable salts thereof.

---